


## Schaltplan i.SED – V6

Bietet Sonderlösungen beim Anbau von Kellermann Blinkern.  
Verdrahtungsplan für den Anbau von Blinkern mit höherer Leistungsaufnahme [Watt] als original.\*




\* Geeignet für Fahrzeuge mit original 5-9 Volt Blinkerspannung.

Erforderlich ist 1 Set für 2 Blinker.

## Schaltplan i.SED - V6

Bietet Sonderlösungen beim Anbau von Kellermann Blinkern.  
Verdrahtungsplan für den Anbau von Blinkern mit Plus (+) an Masse (-).\*



\* Geeignet für Fahrzeuge mit original 5-9 Volt Blinkerspannung.


Erforderlich ist 1 Set für 2 Blinker.

## Wiring plan i.SED - V6



Offers special solutions when installing Kellermann indicators.

Wiring plan when indicators with a higher power input (Watt) than original are installed. \*




\* Suitable for vehicles with original 5-9 Volt indicator voltage.

For 2 indicators one set is needed.

## Wiring plan i.SED – V6

Offers special solutions when installing Kellermann indicators.  
Wiring plan for installing indicators with plus to ground. \*



\* Suitable for vehicles with original 5-9 Volt indicator voltage.

For 2 indicators one set is needed.